

40-6624.pdf

Model #: 40-6624

UPC: 049448066247



Laser beams project over wet mastic or concrete. Perpendicular lasers form a 90° reference for flooring installation. Dual leveling vials for use on vertical surfaces. Ruled ends - inch, metric, and angle. 40-6624 INCLUDES > Laser, 2 "AA" alkaline batteries.

PRODUCT DETAILS

- Perpendicular lasers form a 90° reference for floor installation
- Dual leveling vials for use on vertical surfaces
- Ruled ends inch, metric and angle
- Laser beams project over wet mastic or concrete

SPECIFICATIONS

Accuracy $\pm 1/4$ "/20'

Battery Life 20 hours continuous use

Dimensions 6.1" x 0.61" x 1.9"

IP Protection Class IP 50

Laser Classification Class II

Laser Wavelength 635nm+10nm (Red)

Leveling Method Manual (vials)

Maximum Power Output <1mW

Power Supply 2 "AA" alkaline batteries (included)

Warranty 2 years

Weight 4.6 oz without the batteries

Working Range Up to 23'

Working Temperature 32° F to 104° F



For additional information on Johnson products, please contact Customer Service at 888.953.8357 or service@johnsonlevel.com www.johnsonlevel.com | © Johnson Level & Tool Mfg. Co. Inc.



APPLICATION

The Johnson Level 40-6624 can be used for the following indoor applications; layout of tile, stone, brick, carpet and hardwood flooring.

